

Safety Data Sheet according to Regulation (EC) No 1907/2006

Page 1 of 9

SDS No.: 594470 V001.0

Revision: 28.02.2018

printing date: 01.02.2021 Replaces version from: -

DYLON Fabric Dye Aqua Green 71

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

DYLON Fabric Dye Aqua Green 71

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Fabric Dyes

1.3. Details of the supplier of the safety data sheet

Henkel Ltd.

Wood Lane End, Hemel Hempstead

HP2 4RQ Hertfordshire

Phone: +44 (0) 1442 278000

consumer.response@henkel.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP):

Skin Irrit. 2

H315 Causes skin irritation.

Eye Dam. 1

H318 Causes serious eye damage.

2.2. Label elements

Label elements (CLP):

Hazard pictogram:



Signal word: Danger

Hazard statement: H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statement: P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear protective gloves/eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P302+P352 IF ON SKIN: Wash with plenty of water. P310 Immediately call a POISON CENTER or doctor.

Contains:

sodium metasilicate*5 H2O

2.3. Other hazards

None if used properly.

SECTION 3: Composition/information on ingredients

3.1. Substances

3.2. Mixtures

Hazardous substances according to CLP (EC) No 1272/2008:

Hazardous substances	EINECS	REACH-Reg No.	Content	Classification
CAS-No.				
Sodium carbonate	207-838-8	01-2119485498-19	>= 70-< 90 %	Serious eye irritation 2
497-19-8				H319
sodium metasilicate*5 H2O	229-912-9	01-2119449811-37	>= 1-< 5 %	Skin corrosion 1B
10213-79-3				H314
				Specific target organ toxicity - single
				exposure 3
				H335
				Corrosive to metals 1
				H290

For full text of the H - Phrases indicated by codes only see Section 16 "Other information".

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of adverse health effects seek medical advice.

Inhalation:

Move to fresh air. In case of breathing difficulties seek immediate medical advise.

Skin contact:

Rinse under running water. Remove all contaminated clothing. Consult skin specialist if necessary.

Eye contact:

Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary.

Ingestion:

Do not induce vomiting, seek medical advice immediately.

Rinse mouth with water, (only if the person is conscious).

4.2. Most important symptoms and effects, both acute and delayed

After inhalation: Irritation of the respiratory tract, coughing. Inhalation of larger amounts may cause laryngospasm with shortness of breath.

After skin contact: Moderate to strong irritation of the skin (redness, swelling, burning), severe burns also possible.

After eye contact: Moderate to strong irritation of the eyes (redness, swelling, burning, watering eyes).

After Ingestion: Ingestion may cause pain, burning, swelling and redness in the mouth and throat. Nausea and vomiting may occur.

4.3. Indication of any immediate medical attention and special treatment needed

After inhalation: Inhalation may cause hyperacidity of the organism with following shortness of breath.

After eye contact: No special action.

After ingestion: In case of coughing or shortness of breath immediately call the rescue services.

After skin contact: If irritation persists, seek medical advice.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water spray jet (if possible, avoid full jet). Adapt the fire-fighting measures to the environmental conditions. Commercially available extinguishers are suitable for fighting incipient fires. The product itself does not burn.

Extinguishing media which must not be used for safety reasons:

None

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products can be formed by pyrolysis and/or carbon monoxide.

5.3. Advice for firefighters

Use personal protective equipment and self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

If large amounts are released contact the fire service.

Avoid contact with skin and eyes.

Ensure adequate ventilation.

6.2. Environmental precautions

Do not empty into drains / surface water / ground water.

6.3. Methods and material for containment and cleaning up

Remove mechanically. Rinse away residue with plenty of water.

6.4. Reference to other sections

See advice in section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

No special measures required if used properly.

Hygiene measures:

Protective equipment only required in case of industrial use or for large packs (not for household packs)

Avoid contact with skin and eyes. Remove soiled or soaked clothing immediately. Wash off any contamination that gets onto the skin with plenty of water, skin care.

7.2. Conditions for safe storage, including any incompatibilities

Store dry at between +5 and +40°C.

Consider national regulations.

7.3. Specific end use(s)

Fabric Dyes

SECTION 8: Exposure controls/personal protection

Only relevant for professional/industrial use

8.1. Control parameters

Valid for

Great Britain

Contains no components with occupational exposure limit values. Attention: general dust limit value 6 mg/m3 (fine dust concentration)

8.2. Exposure controls

Respiratory protection:

If dust is produced wear P2 mask.

Hand protection:

For the contact with product protective gloves made from Spezial-Nitril (material thickness > 0.1 mm, break through time > 480 min class 6) are recommended according to EN 374. In the case of longer and repeated contact please note that in practice the penetration times may be considerably shorter than those determined according to EN 374. The protective gloves must always be checked for their suitability for use at the specific workplace (e.g. mechanical and thermal stress, antistatic effects, etc.). The gloves must be replaced immediately at the first signs of wear and tear. We recommend to change single-use protective gloves periodical and a hand care plan in cooperation with a glove manufacturer and the trade association in accordance with the local operating conditions.

No data available / Not applicable

Eye protection:

Wear tight fitting goggles.

Skin protection:

Protective clothing against chemicals. Observe manufacturer's instructions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

The following data apply to the whole mixture.

a) Appearance powder free-flowing green b) Odor characteristic

c) Odour threshold No data available / Not applicable

d) pH 9 - 11

(; Conc.: 10 % product) No data available / Not applicable e) Melting point f) Initial boiling point and boiling range No data available / Not applicable

g) Flash point Not applicable

No data available / Not applicable h) Evaporation rate

i) Flammability (solid, gas) No data available / Not applicable j) Upper / lower flammability or explosive limits No data available / Not applicable

k) Vapour pressure No data available / Not applicable l) Vapor density No data available / Not applicable m) Relative density

Bulk density 900 - 1.200 g/l n) Solubility (ies) soluble in water o) Partition coefficient: n-octanol/water No data available / Not applicable

p) Auto-ignition temperature No data available / Not applicable q) Decomposition temperature No data available / Not applicable r) Viscosity No data available / Not applicable s) Explosive properties No data available / Not applicable

t) Oxidising properties 9.2. Other information

Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

None if used for intended purpose.

10.2. Chemical stability

Stable under normal conditions of temperature and pressure.

10.3. Possibility of hazardous reactions

See section reactivity

10.4. Conditions to avoid

No decomposition if used according to specifications.

10.5. Incompatible materials

None if used properly.

10.6. Hazardous decomposition products

No decomposition if used according to specifications.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Species	Method
CAS-No.	type			
Sodium carbonate	LD50	2.800 mg/kg	rat	not specified
497-19-8				

Acute dermal toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Species	Method
CAS-No.	type			
Sodium carbonate 497-19-8	LD50	> 2.000 mg/kg	rabbit	EPA 16 CFR 1500.40 (Method of testing toxic substances)
sodium metasilicate*5 H2O 10213-79-3	LD50	> 5.000 mg/kg	rat	not specified

Acute inhalative toxicity:

No data available.

Skin corrosion/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
Sodium carbonate 497-19-8	not irritating	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
sodium metasilicate*5 H2O 10213-79-3	corrosive			not specified

Serious eye damage/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Result	Exposure	Species	Method
CAS-No.		time		
Sodium carbonate 497-19-8	irritating		rabbit	not specified
sodium metasilicate*5 H2O 10213-79-3	corrosive			not specified

Respiratory or skin sensitization:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Test type	Species	Method
sodium metasilicate*5	not sensitising	Mouse local lymphnode	mouse	not specified
H2O		assay (LLNA)		
10213-79-3		-		

Germ cell mutagenicity:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
Sodium carbonate 497-19-8	negative	bacterial reverse mutation assay (e.g Ames test)	with		Ames Test
sodium metasilicate*5 H2O 10213-79-3	negative	not specified			not specified
sodium metasilicate*5 H2O 10213-79-3					not specified

Carcinogenicity

No data available.

Reproductive toxicity:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances	Result / Value	Test type	Route of	Species	Method
CAS-No.			application		
sodium metasilicate*5	NOAEL P > 159 mg/kg			rat	not specified
H2O					
10213-79-3					

STOT-single exposure:

No data available.

STOT-repeated exposure::

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result / Value	Route of application	Exposure time / Frequency of treatment	Species	Method
sodium metasilicate*5 H2O 10213-79-3	NOAEL 227 mg/kg			rat	not specified

Aspiration hazard:

No data available.

SECTION 12: Ecological information

12.1. Toxicity

Toxicity (Fish):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
Sodium carbonate	LC50	300 mg/l	96 h	Lepomis macrochirus	OECD Guideline 203 (Fish,
497-19-8					Acute Toxicity Test)
sodium metasilicate*5 H2O	LC50	210 mg/l	96 h	Brachydanio rerio (new name:	
10213-79-3				Danio rerio)	
sodium metasilicate*5 H2O	NOEC	> 86,7 mg/l	30 d	Pimephales promelas	OECD Guideline 210 (fish
10213-79-3					early lite stage toxicity test)

Toxicity (Daphnia):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
Sodium carbonate	EC50	200 - 227 mg/l	48 h	Ceriodaphnia sp.	OECD Guideline 202
497-19-8					(Daphnia sp. Acute
					Immobilisation Test)
sodium metasilicate*5 H2O	EC50	1.700 mg/l	48 h	Daphnia magna	not specified
10213-79-3					

Chronic toxicity to aquatic invertebrates

No data available.

Toxicity (Algae):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type		_		
Sodium carbonate	EC50	137 mg/l	5 d	Nitzschia sp.	OECD Guideline 201 (Alga,
497-19-8				_	Growth Inhibition Test)
sodium metasilicate*5 H2O	EC50	213 mg/l	72 h	Scenedesmus subspicatus (new	DIN 38412-09
10213-79-3				name: Desmodesmus	
				subspicatus)	
sodium metasilicate*5 H2O	EC0	36 mg/l	72 h	Scenedesmus subspicatus (new	DIN 38412-09
10213-79-3				name: Desmodesmus	
				subspicatus)	

Toxicity to microorganisms

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
Sodium carbonate 497-19-8	EC 50	300 mg/l	30 min		not specified
sodium metasilicate*5 H2O 10213-79-3	EC0	1.000 mg/l	30 min		not specified

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

Does not bioaccumulate.

No substance data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

Hazardous substances	PBT / vPvB	
CAS-No.		
Sodium carbonate	According to Annex XIII of regulation (EC) 1907/2006 a PBT and vPvB assessment shall not	
497-19-8	be conducted for inorganic substances.	
sodium metasilicate*5 H2O	netasilicate*5 H2O Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very	
10213-79-3	Bioaccumulative (vPvB) criteria.	

12.6. Other adverse effects

Other adverse effects of this product for the environment are not known to us.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product disposal:

Dispose of in accordance with local and national regulations.

Disposal of uncleaned packages:

Only completely empty containers are to be disposed of as recoverable materials.

SECTION 14: Transport information

14.1. UN number

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.2. UN proper shipping name

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.3. Transport hazard class(es)

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.4. Packing group

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.5. Environmental hazards

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.6. Special precautions for user

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Further information:

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

This Safety Data Sheet contains changes from the previous version in Section(s):