

# Safety Data Sheet according to Regulation (EC) No 1907/2006

Page 1 of 9

SDS No.: 554987

V001.0 Revision: 23.05.2018

printing date: 30.01.2021 Replaces version from: -

**Dylon Machine Dye Pod - Emerald Green** 

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Dylon Machine Dye Pod - Emerald Green

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Fabric Dyes

#### 1.3. Details of the supplier of the safety data sheet

Henkel Ltd.

Wood Lane End, Hemel Hempstead

HP2 4RQ Hertfordshire

Phone: +44 (0) 1442 278000

consumer.response@henkel.com

# 1.4. Emergency telephone number

Henkel Hemel Hempstead: +44 1442 278000 / 0845 490 0176 (Monday to Friday from 9.00 to 17:00)

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 (CLP):

Eye Irrit. 2

H319 Causes serious eye irritation.

#### 2.2. Label elements

Label elements (CLP):

Hazard pictogram:



Signal word: Warning

**Hazard statement:** H319 Causes serious eye irritation.

EUH208 Contains C.I. Reactive Yellow 125; C.I. Reactive Blue 203; C.I. Reactive Blue 225. May produce an allergic reaction.

Precautionary statement: P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention.

#### 2.3. Other hazards

None if used properly.

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

#### 3.2. Mixtures

Hazardous substances according to CLP (EC) No 1272/2008:

Hazardous substances	EINECS	REACH-Reg No.	Content	Classification
CAS-No.				
Sodium carbonate 497-19-8	207-838-8	01-2119485498-19	>= 70- < 90 %	Serious eye irritation 2 H319
C.I. Reactive Blue 225 108624-00-6			>= 0,1-< 1 %	Skin sensitizer 1 H317
C.I. Reactive Blue 203 84229-70-9	282-468-8		>= 0,1-< 1 %	Skin sensitizer 1B H317 Respiratory sensitizer 1B H334
C.I. Reactive Yellow 125 68155-62-4	268-974-1		>= 0,1-< 1 %	Skin sensitizer 1 H317

For full text of the H - Phrases indicated by codes only see Section 16 "Other information".

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

General information:

In case of adverse health effects seek medical advice.

Inhalation:

Move to fresh air. In case of breathing difficulties seek immediate medical advise.

Skin contact:

Rinse under running water. Remove all contaminated clothing. Consult skin specialist if necessary.

Eye contact:

Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary.

Ingestion

Do not induce vomiting, seek medical advice immediately.

Rinse mouth with water, (only if the person is conscious).

#### 4.2. Most important symptoms and effects, both acute and delayed

After inhalation: Irritation of the respiratory tract, coughing. Inhalation of larger amounts may cause laryngospasm with shortness of breath.

After skin contact: Moderate to strong irritation of the skin (redness, swelling, burning), severe burns also possible.

After eye contact: Moderate to strong irritation of the eyes (redness, swelling, burning, watering eyes).

After Ingestion: Ingestion may cause pain, burning, swelling and redness in the mouth and throat. Nausea and vomiting may

#### 4.3. Indication of any immediate medical attention and special treatment needed

After inhalation: Inhalation may cause hyperacidity of the organism with following shortness of breath.

After skin contact: If irritation persists, seek medical advice.

After eye contact: No special action.

After ingestion: In case of coughing or shortness of breath immediately call the rescue services.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media:

Water spray jet (if possible, avoid full jet). Adapt the fire-fighting measures to the environmental conditions. Commercially available extinguishers are suitable for fighting incipient fires. The product itself does not burn.

#### Extinguishing media which must not be used for safety reasons:

None

#### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products can be formed by pyrolysis and/or carbon monoxide.

### 5.3. Advice for firefighters

Use personal protective equipment and self-contained breathing apparatus.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes.

Ensure adequate ventilation.

If large amounts are released contact the fire service.

## **6.2.** Environmental precautions

Do not empty into drains / surface water / ground water.

## 6.3. Methods and material for containment and cleaning up

Remove mechanically. Rinse away residue with plenty of water.

#### 6.4. Reference to other sections

See advice in section 8

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

No special measures required if used properly.

#### **Hygiene measures:**

Avoid contact with skin and eyes. Remove soiled or soaked clothing immediately. Wash off any contamination that gets onto the skin with plenty of water, skin care.

Protective equipment only required in case of industrial use or for large packs (not for household packs)

#### 7.2. Conditions for safe storage, including any incompatibilities

Store dry at between +5 and +40°C. Consider national regulations.

### 7.3. Specific end use(s)

Fabric Dyes

# **SECTION 8: Exposure controls/personal protection**

#### Only relevant for professional/industrial use

#### 8.1. Control parameters

Valid for

Great Britain

Contains no components with occupational exposure limit values. Attention: general dust limit value 6 mg/m3 (fine dust concentration)

#### 8.2. Exposure controls

Respiratory protection:

If dust is produced wear P2 mask.

#### Hand protection:

For the contact with product protective gloves made from Spezial-Nitril (material thickness > 0.1 mm, break through time > 480 min class 6) are recommended according to EN 374. In the case of longer and repeated contact please note that in practice the penetration times may be considerably shorter than those determined according to EN 374. The protective gloves must always be checked for their suitability for use at the specific workplace (e.g. mechanical and thermal stress, antistatic effects, etc.). The gloves must be replaced immediately at the first signs of wear and tear. We recommend to change single-use protective gloves periodical and a hand care plan in cooperation with a glove manufacturer and the trade association in accordance with the local operating conditions.

Eye protection:

Wear tight fitting goggles.

Skin protection:

Protective clothing against chemicals. Observe manufacturer's instructions.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

### The following data apply to the whole mixture.

a) Appearance powder
free-flowing
green
b) Odor characteristic
c) Odour threshold No data available / Not applicable
d) pH 9 - 11

(20 °C (68 °F); Conc.: 1 g/l; Solvent: Water)
e) Melting point

f) Initial boiling point and boiling range g) Flash point

h) Evaporation ratei) Flammability (solid, gas)ii) Upper / lower flammability or explosit

j) Upper / lower flammability or explosive limits

k) Vapour pressure
l) Vapor density
m) Relative density
Bulk density
n) Solubility (ies)

o) Partition coefficient: n-octanol/water

p) Auto-ignition temperatureq) Decomposition temperature

9 - 11

No data available / Not applicable

No data available / Not applicable

Not applicable
No data available / Not applicable

900,000 - 1.200,000 g/l

soluble in water

No data available / Not applicable No data available / Not applicable No data available / Not applicable r) Viscosity

s) Explosive properties

t) Oxidising properties

No data available / Not applicable No data available / Not applicable No data available / Not applicable

## 9.2. Other information

Not applicable

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

None if used for intended purpose.

#### 10.2. Chemical stability

Stable under normal conditions of temperature and pressure.

#### 10.3. Possibility of hazardous reactions

See section reactivity

#### 10.4. Conditions to avoid

No decomposition if used according to specifications.

#### 10.5. Incompatible materials

None if used properly.

#### 10.6. Hazardous decomposition products

No decomposition if used according to specifications.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

#### Acute oral toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Species	Method
Sodium carbonate 497-19-8	LD50	2.800 mg/kg	rat	not specified
C.I. Reactive Blue 225 108624-00-6	LD50	> 5.000 mg/kg	rat	EU Method B.1 (Acute Toxicity (Oral))
C.I. Reactive Blue 203 84229-70-9	LD50	> 5.000 mg/kg	rat	OECD Guideline 401 (Acute Oral Toxicity)

#### Acute dermal toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Species	Method
CAS-No.	type			
Sodium carbonate 497-19-8	LD50	> 2.000 mg/kg	rabbit	EPA 16 CFR 1500.40 (Method of testing toxic substances)
C.I. Reactive Blue 203 84229-70-9	LD50	> 2.000 mg/kg	rat	OECD Guideline 402 (Acute Dermal Toxicity)

# Acute inhalative toxicity:

No data available.

#### Skin corrosion/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Result	Exposure	Species	Method
CAS-No.		time		
Sodium carbonate 497-19-8	not irritating	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
C.I. Reactive Blue 225 108624-00-6	not irritating	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
C.I. Reactive Blue 203 84229-70-9	not irritating	24 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

## Serious eye damage/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Result	Exposure	Species	Method
CAS-No.		time		
Sodium carbonate 497-19-8	irritating		rabbit	not specified
C.I. Reactive Blue 225 108624-00-6	not irritating		rabbit	OECD Guideline 405 (Acute Eye Irritation / Corrosion)
C.I. Reactive Blue 203 84229-70-9	not irritating		rabbit	OECD Guideline 405 (Acute Eye Irritation / Corrosion)

## Respiratory or skin sensitization:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Test type	Species	Method
C.I. Reactive Blue 225 108624-00-6	sensitising	Guinea pig maximisation test	guinea pig	OECD Guideline 406 (Skin Sensitisation)
C.I. Reactive Blue 203 84229-70-9	not sensitising	Buehler test	guinea pig	OECD Guideline 406 (Skin Sensitisation)

#### Germ cell mutagenicity:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
Sodium carbonate 497-19-8	negative	bacterial reverse mutation assay (e.g Ames test)	with		Ames Test
C.I. Reactive Blue 225 108624-00-6	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		Ames Test
C.I. Reactive Blue 225 108624-00-6	negative	DNA damage and repair assay, unscheduled DNA synthesis in mammalian cells in vitro	with and without		OECD Guideline 482 (Genetic Toxicology: DNA Damage and Repair, Unscheduled DNA Synthesis in Mammalian Cells In Vitro)
C.I. Reactive Blue 203 84229-70-9	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay)
C.I. Reactive Blue 203 84229-70-9	negative	mammalian cell gene mutation assay	with and without		OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)

# Carcinogenicity

No data available.

# Reproductive toxicity:

No data available.

# STOT-single exposure:

No data available.

# STOT-repeated exposure::

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result / Value	Route of application	Exposure time / Frequency of treatment	Species	Method
C.I. Reactive Blue 203	NOAEL 1.000 mg/kg	oral: gavage	28 d	rat	OECD Guideline 407
84229-70-9			daily		(Repeated Dose 28-Day
					Oral Toxicity in Rodents)

## **Aspiration hazard:**

No data available.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

# **Toxicity (Fish):**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
Sodium carbonate 497-19-8	LC50	300 mg/l	96 h	1	OECD Guideline 203 (Fish, Acute Toxicity Test)
C.I. Reactive Yellow 125 68155-62-4	LC50	> 100 mg/l	96 h		OECD Guideline 203 (Fish, Acute Toxicity Test)

# Toxicity (Daphnia):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Sodium carbonate	EC50	200 - 227 mg/l	48 h	Ceriodaphnia sp.	OECD Guideline 202
497-19-8					(Daphnia sp. Acute
					Immobilisation Test)

# Chronic toxicity to aquatic invertebrates

No data available.

# Toxicity (Algae):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Sodium carbonate 497-19-8		137 mg/l	5 d		OECD Guideline 201 (Alga, Growth Inhibition Test)

## Toxicity to microorganisms

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Sodium carbonate 497-19-8	EC 50	300 mg/l	30 min		not specified
C.I. Reactive Yellow 125 68155-62-4	EC 50	> 1.000 mg/l	3 h	activated sludge	OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test)

## 12.2. Persistence and degradability

Hazardous substances	Result	Test type	Degradability	Exposure	Method
CAS-No.				time	
C.I. Reactive Yellow 125	not inherently	aerobic	10 %	28 day	OECD Guideline 302 B (Inherent
68155-62-4	biodegradable				biodegradability: Zahn-
					Wellens/EMPA Test)

## 12.3. Bioaccumulative potential

Does not bioaccumulate.

No substance data available.

## 12.4. Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

Hazardous substances	PBT / vPvB	
CAS-No.		
Sodium carbonate	According to Annex XIII of regulation (EC) 1907/2006 a PBT and vPvB assessment shall not	
497-19-8	be conducted for inorganic substances.	

### 12.6. Other adverse effects

Other adverse effects of this product for the environment are not known to us.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Product disposal:

Dispose of in accordance with local and national regulations.

Disposal of uncleaned packages:

Only completely empty containers are to be disposed of as recoverable materials.

# **SECTION 14: Transport information**

## 14.1. UN number

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

#### 14.2. UN proper shipping name

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

#### 14.3. Transport hazard class(es)

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

## 14.4. Packing group

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

#### 14.5. Environmental hazards

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

## 14.6. Special precautions for user

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

## **SECTION 16: Other information**

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

#### **Further information:**

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

This Safety Data Sheet contains changes from the previous version in Section(s):