

# Safety Data Sheet according to Regulation (EC) No 1907/2006

Page 1 of 9

SDS No.: 546523

V001.0 Revision: 22.05.2018

printing date: 30.01.2021 Replaces version from: -

Dylon Machine Dye Pod - Paradise Blue

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Dylon Machine Dye Pod - Paradise Blue

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Fabric Dyes

### 1.3. Details of the supplier of the safety data sheet

Henkel Ltd.

Wood Lane End, Hemel Hempstead

HP2 4RQ Hertfordshire

Phone: +44 (0) 1442 278000

consumer.response@henkel.com

## **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008 (CLP):

Eye Dam. 1

H318 Causes serious eye damage.

Skin Irrit. 2

H315 Causes skin irritation.

Skin Sens. 1

H317 May cause an allergic skin reaction.

## 2.2. Label elements

## Label elements (CLP):

Hazard pictogram:



Signal word: Danger

**Hazard statement:** H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

Precautionary statement: P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P261 Avoid breathing dust.

P280 Wear protective gloves/eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor. P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with national regulation.

#### **Contains:**

sodium metasilicate, C.I. Reactive Blue 116

#### 2.3. Other hazards

None if used properly.

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

## 3.2. Mixtures

Hazardous substances according to CLP (EC) No 1272/2008:

Hazardous substances CAS-No.	EINECS	REACH-Reg No.	Content	Classification
Sodium carbonate 497-19-8	207-838-8	01-2119485498-19	>= 90-<100 %	Serious eye irritation 2 H319
sodium metasilicate 6834-92-0	229-912-9	01-2119449811-37	>= 1-< 5%	Skin corrosion 1B H314 Corrosive to metals 1 H290 Specific target organ toxicity - single exposure 3 H335
C.I. Reactive Blue 116 71786-55-5	276-012-7		>= 1-< 5 %	Skin sensitizer 1 H317 Chronic hazards to the aquatic environment 3 H412

For full text of the H - Phrases indicated by codes only see Section 16 "Other information".

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## General information:

In case of adverse health effects seek medical advice.

#### Inhalation:

Move to fresh air. In case of breathing difficulties seek immediate medical advise.

#### Skin contact

Rinse with water. Take off all clothing contaminated by the product.

#### Eye contact:

Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary.

### Ingestion:

Do not induce vomiting, seek medical advice immediately. Rinse mouth with water, (only if the person is conscious).

### 4.2. Most important symptoms and effects, both acute and delayed

After inhalation: Irritation of the respiratory tract, coughing. Inhalation of larger amounts may cause laryngospasm with shortness of breath.

After skin contact: Temporary irritation of the skin (redness, swelling, burning).

After eye contact: Moderate to strong irritation of the eyes (redness, swelling, burning, watering eyes).

After ingestion: Ingestion may cause irritation of mouth, throat, digestive tract, diarrhea and vomiting. Vomit may get into the lungs causing damage (aspiration).

### 4.3. Indication of any immediate medical attention and special treatment needed

After inhalation: No special action. After skin contact: No special action. After eye contact: No special action.

After ingestion: Do not induce vomiting. Single administration of a non-carbonated beverage (water or tea).

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media:

Water spray jet (if possible, avoid full jet). Adapt the fire-fighting measures to the environmental conditions. Commercially available extinguishers are suitable for fighting incipient fires. The product itself does not burn.

## Extinguishing media which must not be used for safety reasons:

None

## 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products can be formed by pyrolysis and/or carbon monoxide.

## **5.3.** Advice for firefighters

Use personal protective equipment and self-contained breathing apparatus.

# **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes.

Ensure adequate ventilation.

If large amounts are released contact the fire service.

## **6.2. Environmental precautions**

Do not empty into drains / surface water / ground water.

## 6.3. Methods and material for containment and cleaning up

Remove mechanically. Rinse away residue with plenty of water.

## 6.4. Reference to other sections

See advice in section 8

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

No special measures required if used properly.

#### **Hygiene measures:**

Avoid contact with skin and eyes. Remove soiled or soaked clothing immediately. Wash off any contamination that gets onto the skin with plenty of water, skin care.

Protective equipment only required in case of industrial use or for large packs (not for household packs)

## 7.2. Conditions for safe storage, including any incompatibilities

Store dry at between +5 and +40°C. Consider national regulations.

## 7.3. Specific end use(s)

Fabric Dyes

# **SECTION 8: Exposure controls/personal protection**

### Only relevant for professional/industrial use

### 8.1. Control parameters

Valid for

Great Britain

Contains no components with occupational exposure limit values. Attention: general dust limit value 6 mg/m3 (fine dust concentration)

#### 8.2. Exposure controls

Respiratory protection:

If dust is produced wear P2 mask.

#### Hand protection:

For the contact with product protective gloves made from Spezial-Nitril (material thickness > 0.1 mm, break through time > 480 min class 6) are recommended according to EN 374. In the case of longer and repeated contact please note that in practice the penetration times may be considerably shorter than those determined according to EN 374. The protective gloves must always be checked for their suitability for use at the specific workplace (e.g. mechanical and thermal stress, antistatic effects, etc.). The gloves must be replaced immediately at the first signs of wear and tear. We recommend to change single-use protective gloves periodical and a hand care plan in cooperation with a glove manufacturer and the trade association in accordance with the local operating conditions.

Eye protection:

Wear tight fitting goggles.

Skin protection:

Protective clothing against chemicals. Observe manufacturer's instructions.

## **SECTION 9: Physical and chemical properties**

No data available / Not applicable

### 9.1. Information on basic physical and chemical properties

## The following data apply to the whole mixture.

a) Appearance powder free-flowing blue b) Odor characteristic

c) Odour threshold No data available / Not applicable d) pH 11.75

(; Conc.: 10 g/l) e) Melting point

f) Initial boiling point and boiling range No data available / Not applicable g) Flash point Not applicable

h) Evaporation rate No data available / Not applicable

i) Flammability (solid, gas) No data available / Not applicable j) Upper / lower flammability or explosive limits No data available / Not applicable k) Vapour pressure No data available / Not applicable No data available / Not applicable 1) Vapor density

m) Relative density Bulk density 900 - 1.200 g/l n) Solubility (ies) soluble in water

No data available / Not applicable o) Partition coefficient: n-octanol/water p) Auto-ignition temperature No data available / Not applicable No data available / Not applicable q) Decomposition temperature

r) Viscosity

s) Explosive properties

t) Oxidising properties

No data available / Not applicable No data available / Not applicable No data available / Not applicable

## 9.2. Other information

Not applicable

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

None if used for intended purpose.

### 10.2. Chemical stability

Stable under normal conditions of temperature and pressure.

### 10.3. Possibility of hazardous reactions

See section reactivity

#### 10.4. Conditions to avoid

No decomposition if used according to specifications.

### 10.5. Incompatible materials

None if used properly.

### 10.6. Hazardous decomposition products

No decomposition if used according to specifications.

# **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

### Acute oral toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Species	Method
CAS-No.	type			
Sodium carbonate 497-19-8	LD50	2.800 mg/kg	rat	not specified
C.I. Reactive Blue 116 71786-55-5	LD50	> 2.000 mg/kg	rat	not specified

## Acute dermal toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Species	Method
CAS-No.	type			
Sodium carbonate 497-19-8	LD50	> 2.000 mg/kg	rabbit	EPA 16 CFR 1500.40 (Method of testing toxic substances)
sodium metasilicate 6834-92-0	LD50	> 5.000 mg/kg	rat	EPA OPPTS 870.1200 (Acute Dermal Toxicity)

## Acute inhalative toxicity:

No data available.

### Skin corrosion/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Result	Exposure	Species	Method
CAS-No.		time		
Sodium carbonate	not irritating	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
497-19-8				
sodium metasilicate	corrosive	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
6834-92-0				
C.I. Reactive Blue 116	not irritating		rabbit	not specified
71786-55-5				

## Serious eye damage/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
Sodium carbonate 497-19-8	irritating		rabbit	not specified
C.I. Reactive Blue 116 71786-55-5	not irritating		rabbit	not specified

### Respiratory or skin sensitization:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Test type	Species	Method
sodium metasilicate 6834-92-0	not sensitising	Mouse local lymphnode assay (LLNA)	mouse	OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay)
C.I. Reactive Blue 116 71786-55-5	sensitising	Skin sensitisation	guinea pig	not specified

# Germ cell mutagenicity:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Type of study / Route of	Metabolic activation /	Species	Method
CAS-110.		administration	Exposure time		
Sodium carbonate 497-19-8	negative	bacterial reverse mutation assay (e.g Ames test)	with		Ames Test
sodium metasilicate 6834-92-0	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay)
sodium metasilicate 6834-92-0	negative	in vitro mammalian chromosome aberration test	with and without		OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)
sodium metasilicate 6834-92-0	negative	mammalian cell gene mutation assay	with and without		OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)

## Carcinogenicity

No data available.

## Reproductive toxicity:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances	Result / Value	Test type	Route of	Species	Method
CAS-No.			application		
sodium metasilicate	NOAEL P > 159 mg/kg	multigenerat	oral:	rat	not specified
6834-92-0		ion study	drinking		
			water		

## STOT-single exposure:

No data available.

## STOT-repeated exposure::

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result / Value	Route of application	Exposure time / Frequency of treatment	Species	Method
sodium metasilicate 6834-92-0	NOAEL 227 - 237 mg/kg	oral: drinking water	3 m daily	rat	OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

### **Aspiration hazard:**

No data available.

# **SECTION 12: Ecological information**

## 12.1. Toxicity

## **Toxicity (Fish):**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type		_		
Sodium carbonate	LC50	300 mg/l	96 h	Lepomis macrochirus	OECD Guideline 203 (Fish,
497-19-8					Acute Toxicity Test)
sodium metasilicate	LC50	210 mg/l	96 h	Brachydanio rerio (new name:	not specified
6834-92-0				Danio rerio)	

## Toxicity (Daphnia):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
Sodium carbonate	EC50	200 - 227 mg/l	48 h	Ceriodaphnia sp.	OECD Guideline 202
497-19-8					(Daphnia sp. Acute
					Immobilisation Test)
sodium metasilicate 6834-92-0	EC50	1.700 mg/l	48 h	Daphnia magna	not specified

## Chronic toxicity to aquatic invertebrates

No data available.

## Toxicity (Algae):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
Sodium carbonate 497-19-8	EC50	137 mg/l	5 d	Nitzschia sp.	OECD Guideline 201 (Alga, Growth Inhibition Test)
sodium metasilicate 6834-92-0	EC0	36 mg/l	72 h	Scenedesmus subspicatus (new name: Desmodesmus subspicatus)	DIN 38412-09
sodium metasilicate 6834-92-0	EC50	213 mg/l	72 h	Scenedesmus subspicatus (new name: Desmodesmus subspicatus)	DIN 38412-09

## Toxicity to microorganisms

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
Sodium carbonate 497-19-8	EC 50	300 mg/l	30 min		not specified
sodium metasilicate 6834-92-0	EC0	1.000 mg/l	30 min		not specified

### 12.2. Persistence and degradability

No data available.

## 12.3. Bioaccumulative potential

Does not bioaccumulate.

No substance data available.

# 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

Hazardous substances	PBT / vPvB	
CAS-No.		
Sodium carbonate	According to Annex XIII of regulation (EC) 1907/2006 a PBT and vPvB assessment shall not	
497-19-8	be conducted for inorganic substances.	
sodium metasilicate	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very	
6834-92-0	Bioaccumulative (vPvB) criteria.	

## 12.6. Other adverse effects

Other adverse effects of this product for the environment are not known to us.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Product disposal:

Dispose of in accordance with local and national regulations.

Disposal of uncleaned packages:

Only completely empty containers are to be disposed of as recoverable materials.

## **SECTION 14: Transport information**

## 14.1. UN number

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

#### 14.2. UN proper shipping name

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

#### 14.3. Transport hazard class(es)

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

## 14.4. Packing group

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

#### 14.5. Environmental hazards

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

## 14.6. Special precautions for user

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

## **SECTION 16: Other information**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

#### **Further information:**

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.