

Safety Data Sheet according to Regulation (EC) No 1907/2006

Page 1 of 10

SDS No.: 555000

V001.0

Revision: 25.05.2018 printing date: 30.01.2021 Replaces version from: -

Dylon Machine Dye Pod - Rosewood Red

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Dylon Machine Dye Pod - Rosewood Red

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Fabric Dyes

1.3. Details of the supplier of the safety data sheet

Henkel Ltd.
Wood Lane End, Hemel Hempstead
HP2 4RQ Hertfordshire

consumer.response@henkel.com

1.4. Emergency telephone number

 $Henkel\ Hemel\ Hempstead:\ +44\ 1442\ 278000\ /\ 0845\ 490\ 0176\ \ (Monday\ to\ Friday\ from\ 9.00\ to\ 17:00)$

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP):

Eye Irrit. 2

H319 Causes serious eye irritation.

Skin Sens. 1

H317 May cause an allergic skin reaction.

2.2. Label elements

Label elements (CLP):

Hazard pictogram:



Signal word: Warning

Hazard statement: H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

EUH208 Contains C.I. Reactive Orange 64; C.I. Reactive Yellow 27. May produce an

allergic reaction.

Precautionary statement: P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P261 Avoid breathing dust.

P280 Wear protective gloves/eye protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351 IF IN EYES: Rinse cautiously with water for several minutes. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Introduce fully emptied container into recycling / municipal waste stream.

Contains:

C.I. Reactive Red 159

2.3. Other hazards

None if used properly.

SECTION 3: Composition/information on ingredients

3.1. Substances

3.2. Mixtures

Hazardous substances according to CLP (EC) No 1272/2008:

Hazardous substances	EINECS	REACH-Reg No.	Content	Classification
CAS-No.				
Sodium carbonate 497-19-8	207-838-8	01-2119485498-19	>= 40-< 60 %	Serious eye irritation 2 H319
C.I. Reactive Red 159 83400-12-8	280-427-9		>= 1-< 5 %	Skin sensitizer 1B H317
C.I. Reactive Yellow 27 75199-00-7	278-108-4		>= 0,1-< 1 %	Skin sensitizer 1B H317
C.I. Reactive Orange 64 83763-57-9	280-744-2		>= 0,1-< 1 %	Skin sensitizer 1B H317 Respiratory sensitizer 1B H334

For full text of the H - Phrases indicated by codes only see Section 16 "Other information".

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of adverse health effects seek medical advice.

Inhalation:

Move to fresh air. In case of breathing difficulties seek immediate medical advise.

Skin contact:

Rinse under running water. Remove all contaminated clothing. Consult skin specialist if necessary.

Eye contact:

Rinse immediately under running water (for 10 minutes), thereafter seek immediate specialist medical advise.

Ingestion

Do not induce vomiting, seek medical advice immediately.

Rinse mouth with water, (only if the person is conscious).

4.2. Most important symptoms and effects, both acute and delayed

After inhalation: Irritation of the respiratory tract, coughing. Inhalation of larger amounts may cause laryngospasm with shortness of breath.

After skin contact: Moderate to strong irritation of the skin (redness, swelling, burning), severe burns also possible.

After eye contact: Moderate to strong irritation of the eyes (redness, swelling, burning, watering eyes).

After Ingestion: Ingestion may cause pain, burning, swelling and redness in the mouth and throat. Nausea and vomiting may occur.

4.3. Indication of any immediate medical attention and special treatment needed

After inhalation: Inhalation may cause hyperacidity of the organism with following shortness of breath.

After skin contact: If irritation persists, seek medical advice.

After eye contact: No special action.

After ingestion: In case of coughing or shortness of breath immediately call the rescue services.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water spray jet (if possible, avoid full jet). Adapt the fire-fighting measures to the environmental conditions. Commercially available extinguishers are suitable for fighting incipient fires. The product itself does not burn.

Extinguishing media which must not be used for safety reasons:

None

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products can be formed by pyrolysis and/or carbon monoxide.

5.3. Advice for firefighters

Use personal protective equipment and self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes.

Ensure adequate ventilation.

If large amounts are released contact the fire service.

6.2. Environmental precautions

Do not empty into drains / surface water / ground water.

6.3. Methods and material for containment and cleaning up

Remove mechanically. Rinse away residue with plenty of water.

6.4. Reference to other sections

See advice in section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

No special measures required if used properly.

Hygiene measures:

Avoid contact with skin and eyes. Remove soiled or soaked clothing immediately. Wash off any contamination that gets onto the skin with plenty of water, skin care.

Protective equipment only required in case of industrial use or for large packs (not for household packs)

7.2. Conditions for safe storage, including any incompatibilities

Store dry at between +5 and +40°C. Consider national regulations.

7.3. Specific end use(s)

Fabric Dyes

SECTION 8: Exposure controls/personal protection

Only relevant for professional/industrial use

8.1. Control parameters

Valid for

Great Britain

Contains no components with occupational exposure limit values. Attention: general dust limit value 6 mg/m3 (fine dust concentration)

8.2. Exposure controls

Respiratory protection:

If dust is produced wear P2 mask.

Hand protection:

For the contact with product protective gloves made from Spezial-Nitril (material thickness > 0.1 mm, break through time > 480 min class 6) are recommended according to EN 374. In the case of longer and repeated contact please note that in practice the penetration times may be considerably shorter than those determined according to EN 374. The protective gloves must always be checked for their suitability for use at the specific workplace (e.g. mechanical and thermal stress, antistatic effects, etc.). The gloves must be replaced immediately at the first signs of wear and tear. We recommend to change single-use protective gloves periodical and a hand care plan in cooperation with a glove manufacturer and the trade association in accordance with the local operating conditions.

Eye protection:

Wear tight fitting goggles.

Skin protection:

Protective clothing against chemicals. Observe manufacturer's instructions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

The following data apply to the whole mixture.

a) Appearance powder free-flowing red

b) Odor characteristic
 c) Odour threshold No data available / Not applicable

d) pH 11 (; Conc.: 10 g/l)

e) Melting point
 f) Initial boiling point and boiling range
 g) Flash point
 No data available / Not applicable
 Not applicable
 Not applicable

h) Evaporation rate
No data available / Not applicable
i) Flammability (solid, gas)
No data available / Not applicable
No data available / Not applicable

j) Upper / lower flammability or explosive limits
 k) Vapour pressure
 l) Vapor density
 m) Relative density
 No data available / Not applicable
 No data available / Not applicable

Bulk density 900,000 - 1.200,000 g/l n) Solubility (ies) soluble in water

o) Partition coefficient: n-octanol/water No data available / Not applicable p) Auto-ignition temperature No data available / Not applicable q) Decomposition temperature No data available / Not applicable

r) Viscosity

s) Explosive properties

t) Oxidising properties

No data available / Not applicable No data available / Not applicable No data available / Not applicable

9.2. Other information

Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

None if used for intended purpose.

10.2. Chemical stability

Stable under normal conditions of temperature and pressure.

10.3. Possibility of hazardous reactions

See section reactivity

10.4. Conditions to avoid

No decomposition if used according to specifications.

10.5. Incompatible materials

None if used properly.

10.6. Hazardous decomposition products

No decomposition if used according to specifications.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Species	Method
Sodium carbonate	LD50	2.800 mg/kg	rat	not specified
497-19-8				

Acute dermal toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Species	Method
CAS-No.	type			
Sodium carbonate	LD50	> 2.000 mg/kg	rabbit	EPA 16 CFR 1500.40 (Method of testing toxic substances)
497-19-8				_

Acute inhalative toxicity:

No data available.

Skin corrosion/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
Sodium carbonate 497-19-8	not irritating	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

Serious eye damage/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
Sodium carbonate	irritating	*******	rabbit	not specified
497-19-8				

Respiratory or skin sensitization:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Test type	Species	Method
C.I. Reactive Yellow 27	sensitising	Guinea pig maximisation	guinea pig	OECD Guideline 406 (Skin Sensitisation)
75199-00-7		test		

Germ cell mutagenicity:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
Sodium carbonate 497-19-8	negative	bacterial reverse mutation assay (e.g Ames test)	with		Ames Test

CAS-No.		Route of administration	activation / Exposure time	•	
Sodium carbonate 497-19-8	negative	bacterial reverse mutation assay (e.g Ames test)	with		Ames Test
Carcinogenicity					
No data available.					

Reproductive toxicity:

No data available.

STOT-single exposure:

No data available.

STOT-repeated exposure::

No data available.

Aspiration hazard:

No data available.

SECTION 12: Ecological information

12.1. Toxicity

Toxicity (Fish):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
	LC50	300 mg/l	96 h	1	OECD Guideline 203 (Fish,
497-19-8					Acute Toxicity Test)
C.I. Reactive Red 159	LC50	> 100 mg/l	48 h		OECD Guideline 203 (Fish,
83400-12-8					Acute Toxicity Test)
C.I. Reactive Yellow 27	LC50	> 100 mg/l	48 h	Leuciscus idus	OECD Guideline 203 (Fish,
75199-00-7					Acute Toxicity Test)
C.I. Reactive Orange 64	LC50	> 100 mg/l	96 h	Brachydanio rerio (new name:	OECD Guideline 203 (Fish,
83763-57-9				Danio rerio)	Acute Toxicity Test)

Toxicity (Daphnia):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Sodium carbonate 497-19-8	EC50	200 - 227 mg/l	48 h	Ceriodaphnia sp.	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
C.I. Reactive Yellow 27 75199-00-7	EC50	> 100 mg/l	24 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

Chronic toxicity to aquatic invertebrates

No data available.

Toxicity (Algae):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Sodium carbonate 497-19-8	EC50	137 mg/l	5 d		OECD Guideline 201 (Alga, Growth Inhibition Test)

Toxicity to microorganisms

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
Sodium carbonate 497-19-8	EC 50	300 mg/l	30 min		not specified
C.I. Reactive Red 159	EC0	1.000 mg/l	16 h	Pseudomonas putida	DIN 38412, part 8
83400-12-8					(Pseudomonas
					Zellvermehrungshemm-
					Test)
C.I. Reactive Yellow 27	EC0	1.000 mg/l	3 h	activated sludge	OECD Guideline 209
75199-00-7					(Activated Sludge,
					Respiration Inhibition Test)
C.I. Reactive Orange 64	EC 50	> 100 mg/l	3 h	activated sludge	OECD Guideline 209
83763-57-9					(Activated Sludge,
					Respiration Inhibition Test)

12.2. Persistence and degradability

Hazardous substances CAS-No.	Result	Test type	Degradability	Exposure time	Method
C.I. Reactive Red 159 83400-12-8	not inherently biodegradable	aerobic	< 10,000000 %	28 day	OECD Guideline 302 B (Inherent biodegradability: Zahn- Wellens/EMPA Test)
C.I. Reactive Orange 64 83763-57-9	not inherently biodegradable	aerobic	< 10 %	28 day	OECD Guideline 302 B (Inherent biodegradability: Zahn- Wellens/EMPA Test)

12.3. Bioaccumulative potential

Does not bioaccumulate.

No substance data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

Hazardous substances CAS-No.	PBT / vPvB
Sodium carbonate	According to Annex XIII of regulation (EC) 1907/2006 a PBT and vPvB assessment shall not
497-19-8	be conducted for inorganic substances.

12.6. Other adverse effects

Other adverse effects of this product for the environment are not known to us.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product disposal:

Dispose of in accordance with local and national regulations.

Disposal of uncleaned packages:

Only completely empty containers are to be disposed of as recoverable materials.

SECTION 14: Transport information

14.1. UN number

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.2. UN proper shipping name

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.3. Transport hazard class(es)

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.4. Packing group

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.5. Environmental hazards

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.6. Special precautions for user

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Declaration of ingredients according to Detergent Regulation 648/2004/EC

The preparation does not contain any ingredients to be labelled according to this regulation.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Further information:

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

This Safety Data Sheet contains changes from the previous version in Section(s):

1-16